


| number | item | date |
|--------|------|------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



DRAWING LEGEND



- (XX)** ROOF DESIGNATION
- RD** ROOF DRAIN
- RD/CH/DS** ROOF DRAIN TO CONDUCTOR HEAD TO DOWNSPOUT
- DS** DRAIN SCUPPER TO CONDUCTOR HEAD AND DS
- DS** DRAIN SCUPPER
- DS** DOWNSPOUT
- PP** PITCH PAN
- FDC** FIRE DEPARTMENT CONNECTION
- HS** HOT STACK
- GN/HS** HOT STACK WITH GOOSE NECK
- VTR** VENT THROUGH ROOF
- WH** WEATHER HEAD
- UNIT** MECHANICAL / HVAC UNIT
- DP** DUCT PENETRATION / CURB
- GV** GRAVITY VENT
- A** ABANDONED CHIMNEY
- RH** ROOF HATCH / ACCESS
- SK** SKYLIGHT
- SGPS** SLOPED GLAZING PANEL SYSTEM
- DP** DUCT PENETRATION
- LS** LIGHTING SYSTEM @ PP
- PPW** PERIMETER PARAPET WALL
- RMP** RME PERIMETER
- SAT** SATELLITE
- MUS** MECHANICAL UNIT ON SLEEPERS
- V** VENTILATOR
- RTD** ROOF TIE-DOWN
- L** LADDER

GENERAL NOTES:

1. CONTRACTOR TO FIELD VERIFY ALL DIMENSIONS, PENETRATIONS, AND EXISTING ROOF CORE SUMMARY.
2. ALL ABANDONED EQUIPMENT TO BE REMOVED FROM EACH ROOF AREA AS IDENTIFIED ON EXISTING ROOF PLANS.


DEMOLITION NOTES:

1. DEMOLITION AND REMOVAL OF THE EXISTING LOW SLOPE BALLASTED EPDM ROOF SYSTEM DOWN TO THE ROOF DECK FOR REPLACEMENT WITH A SINGLE PLY ROOF SYSTEM.
2. ALL ABANDONED ROOF TOP EQUIPMENT TO BE REMOVED WITH THE ROOF DECK BEING PATCHED AS REQUIRED. REFER TO STRUCTURAL DRAWINGS FOR SUPPLEMENTAL FRAMING FOR NEW DECKING.
3. REMOVAL OF ALL EXISTING SHEET METAL AND ALL ASSOCIATED COMPONENTS INDICATED TO BE REPLACED WITH NEW.




A PARTIAL EXISTING ROOF PLAN - AREA "F", "G", "G1", "G2", "I", "J" & "J1"

R013 1/8" = 1'-0"




B PARTIAL EXISTING ROOF PLAN - AREA "A1"

R013 1/8" = 1'-0"



C PARTIAL EXISTING ROOF PLAN - AREA "A2"

R013 1/8" = 1'-0"



D PARTIAL EXISTING ROOF PLAN - AREA "E"

R013 1/8" = 1'-0"

EXISTING ROOF CORE SUMMARY

| ▲ XRX CORE NUMBER AND IDENTIFIER | | | |
|--------------------------------------|--|------|--|
| ▲ XFX FLASHING NUMBER AND IDENTIFIER | | | |
| AIR1 | BALLASTED EPDM WOOD FIBER POLYISOCYANURATE WOOD DECK TOTAL THICKNESS ABOVE DECK = 3-3/4" | G2R1 | BALLASTED EPDM POLYISOCYANURATE WOOD DECK TOTAL THICKNESS ABOVE DECK = 3" |
| AIS1 | BALLASTED EPDM TOTAL THICKNESS ABOVE DECK = 3-3/4" | G2S1 | BALLASTED EPDM TOTAL THICKNESS ABOVE DECK = 3" |
| ER1 | BALLASTED EPDM WOOD FIBER POLYISOCYANURATE CONCRETE DECK TOTAL THICKNESS ABOVE DECK = 3-3/4" | IR1 | BALLASTED EPDM WOOD FIBER POLYISOCYANURATE WOOD DECK TOTAL THICKNESS ABOVE DECK = 3-3/4" |
| G1R1 | BALLASTED EPDM WOOD FIBER POLYISOCYANURATE WOOD DECK TOTAL THICKNESS ABOVE DECK = 3-1/2" | IR2 | BALLASTED EPDM WOOD FIBER POLYISOCYANURATE WOOD DECK TOTAL THICKNESS ABOVE DECK = 3-3/4" |
| G1R2 | BALLASTED EPDM WOOD FIBER POLYISOCYANURATE WOOD DECK TOTAL THICKNESS ABOVE DECK = 3-1/2" | JR1 | BALLASTED EPDM POLYISOCYANURATE STEEL DECK TOTAL THICKNESS ABOVE DECK = 2-1/2" |
| GR1 | EPDM POLYISOCYANURATE STEEL DECK TOTAL THICKNESS ABOVE DECK = 1-3/4" | | |